

DOOR SCHEDULE											
DOOR		DOOR			FRAME					REMARKS	
NO	TYPE	OPENING SIZE	MAT'L	LVR/ U.C.	MAT'L	JAMB	HEAD	SADDLE	UL LABEL		
201	A	2 (3'-0" X 7'-6 1/4")	H.M.		H.M.	*	*	*		1	*LOAD DOORS, SEE DETAILS ON DRAWING A2-10
202	A	2 (3'-0" X 10'-2")	H.M.		H.M.	*	*	*		2	*LOAD DOORS, SEE DETAILS ON DRAWING A2-10
203	A	2 (3'-0" X 10'-2")	H.M.		H.M.	*	*	*		2	*SEE DETAILS ON DRAWING A2-10
204	A	2'-0" X 5'-6"	H.M.		H.M.	*	*	*		3	*SEE DETAILS ON DRAWING A2-10
205	A	3'-0" X 7'-6 1/4"	H.M.		H.M.	*	*	*		4	*SEE DETAILS ON DRAWING A2-13
301	A	3'-0" X 6'-8"	H.M.		H.M.	J-1	H-1		A	5	
302	A	3'-0" X 6'-8"	H.M.		H.M.	J-2	H-2			5	
303	B	3'-0" X 6'-6"	W.M.		STL						
501	B	4'-0" X 6'-6"	W.M.		STL						
502	B	4'-0" X 6'-6"	W.M.		STL						
601	A	3'-0" X 6'-8"	H.M.		H.M.	J-1	H-1	*	A	5	* SEE DETAIL B ON A2.10 FOR SADDLE
602	A	3'-0" X 6'-8"	H.M.		H.M.	J-1	H-1	*	A	5	* SEE DETAIL B ON A2.10 FOR SADDLE
603	A	3'-0" X 6'-8"	H.M.		H.M.	J-1	H-1	*	A	5	* SEE DETAIL B ON A2.10 FOR SADDLE
604	A	3'-0" X 6'-8"	H.M.		H.M.	J-1	H-1	*	A	5	* SEE DETAIL B ON A2.10 FOR SADDLE

NOTE: DOORS 201, 202, 203, 204 & 205 - SOUND TRANSMISSION CLASS RATING = 52 STC

FINISHES

A/ PAINT


- FIELD PAINT AT ALL EXPOSED METAL SURFACES INCLUDING BEAMS, STEEL ANGLES, TRIM, STEEL STAIRS, HANDRAILS, TREADS, FLASHING, DOORS AND FRAMES.
 - BLACK FINISH ALL EXTERIOR LOCATION TO MATCH COMPOSITE ALUMINUM WALL PANELS, ALUMINUM VERTICAL GRILLS AND HORIZONTAL RAIN LOUVERS.
 - SUMMIT GRAY FINISH COAT (COLOR SW21227 BY SHERWIN WILLIAMS OR EQUAL) AT ALL INTERIOR LOCATIONS.
- PROVIDE FACTORY NATURAL FINISH FOR ALL GALVALUME PRODUCTS INCLUDING FLASHING AND TRIM.
- SEE MECHANICAL, ELECTRICAL, AND PLUMBING DRAWING AND SPECIFICATIONS FOR ALL OTHER REQUIREMENTS INCLUDING LOCATIONS, COLORS AND PATTERNS.

B/ PLASTIC LAMINATE



- COLOR NO. 871: TEXTURE CODE SE1 (MATTE FINISH) BY ABET LAMINATING INC. TEL 1800-228-ABET OR EQUAL

C/ SEAMLESS RESINOUS FLOORING

- COLOR STEEL GRAY STONCLAD GS/GS-4 BY STONHARD OR EQUAL, AT ALL HEATED AREAS STONCLAD HT/HT-4 BY STONHARD OR EQUAL, AT ALL UNHEATED AREAS.




1 DOOR TYPES





J-1
J-2

2 JAMB TYPES





H-1
H-2



3 HEAD TYPES (FOR MASONRY OPENINGS UP TO 3'-6" WIDE)




5 RESINOUS FLOORING AT C.M.U. CURB





6 RESINOUS FLOORING AT CONCRETE CURB, PAD



7 RESINOUS FLOORING AT FUEL OIL TANK ROOM



8 ROUND DRAIN TYPICAL DETAIL



9 DRAIN DETAIL



RESINOUS FLOORING DETAILS